



碧云天生物技术/Beyotime Biotechnology
订货热线: 400-1683301 或 800-8283301
订货 e-mail: order@beyotime.com
技术咨询: info@beyotime.com
网址: http://www.beyotime.com

ACTH(1-17) human (人促肾上腺皮质激素, 1-17)

| 产品编号 | 产品名称 | 包装 |
|------------|------------------------------------|------|
| P9032-1mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 1mg |
| P9032-5mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 5mg |
| P9032-25mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 25mg |

产品简介:

| About this protein | |
|------------------------------|--|
| Product name | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) |
| Alternative names | Adrenocorticotrophic Hormone 1-17, human |
| Description | ACTH(1-17), and aMSH (α-Melanotropin), both derived from POMC (proopiomelanocortin) are involved in melanogenesis. However, ACTH(1-17) has been found to be more potent in melanogenesis in human melanocytes. Both ACTH(1-17) and aMSH also increase dendricity, and proliferation in follicular melanocytes. |
| Purity | >95%(HPLC) |
| CAS Number | N/A |
| Molecular Formula | C ₉₅ H ₁₄₅ N ₂₉ O ₂₃ S |
| Molecular Weight | 2093.4 |
| Sequence (Three-Letter Code) | Ser-Tyr-Ser-Met-Glu-His-Phe-Arg-Trp-Gly-Lys-Pro-Val-Gly-Lys-Lys-Arg |
| Sequence (One-Letter Code) | SYSMEHFRWGKPVGKKR |
| Source | Synthetic |
| Reconstitution | Resuspend in water, at a concentration of ≥10mg/ml. DMSO may have high solubility, and sometimes need be sonicated. Notes: Above are relevant information that may provide a guideline on how to dissolve this peptide. Solubility may vary from batch to batch due to solvent of crystallization, residual solvent content, polymorphism, salt versus free form, degree of hydration, solvent temperature, and dissolved oxygen. End users need to test the solvents & solubility and adapt to their own specific applications. |

包装清单:

| 产品编号 | 产品名称 | 包装 |
|------------|------------------------------------|------|
| P9032-1mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 1mg |
| P9032-5mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 5mg |
| P9032-25mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 25mg |
| — | 说明书 | |

保存条件:

-20°C或更低温度保存, 至少一年有效。由于多肽的每次冻融均会引起部分失活, 所以首次配制时应将产品稀释至相应浓度的储存液后(请根据产品简介中Reconstitution一栏的信息配制储存液), 需分装后-20°C或更低温度冻存, 以避免反复冻融。

注意事项:

- 本产品为冻干粉, 由于微量的多肽在冻干过程中沉积在管内, 形成很薄或不可见的多肽层, 所以在打开管盖前, 我们建议在离心机中约8,000-12,000g离心10-30秒, 使附着在管盖或管壁上的多肽聚集于管底。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

- 收到产品后请立即按照说明书推荐的条件保存。除非特别注明，碧云天相关产品均为冻干粉，由于微量的多肽在冻干过程中沉积在管内，形成很薄或不可见的多肽层，所以在打开管盖前，我们建议在离心机中约8,000-12,000g离心10-30秒，使附着在管盖或管壁上的多肽聚集于管底。
- 请根据实验目的并按照产品简介中Reconstitution一栏中的信息配制储存液。大多数多肽冻干粉是非常容易溶解的，一般用移液枪的枪头轻吹几下或者轻轻摇晃瓶子，即可使多肽完全溶解。请勿用vortex剧烈振荡，以免多肽变性而失活。
- 具体的最佳工作浓度请自行参考相关文献，或者根据实验目的，以及特定细胞和动物，通过实验进行摸索和优化。

相关产品:

| 产品编号 | 产品名称 | 包装 |
|------------|--------------------------------------|------|
| P9019-1mg | ACTH (1-24) human (人促肾上腺皮质激素, 1-24) | 1mg |
| P9019-5mg | ACTH(1-24) human (人促肾上腺皮质激素, 1-24) | 5mg |
| P9019-25mg | ACTH(1-24) human (人促肾上腺皮质激素, 1-24) | 25mg |
| P9023-1mg | ACTH(1-39) human (人促肾上腺皮质激素, 1-39) | 1mg |
| P9023-5mg | ACTH(1-39) human (人促肾上腺皮质激素, 1-39) | 5mg |
| P9023-25mg | ACTH(1-39) human (人促肾上腺皮质激素, 1-39) | 25mg |
| P9028-1mg | ACTH(18-39) human (人促肾上腺皮质激素, 18-39) | 1mg |
| P9028-5mg | ACTH(18-39) human (人促肾上腺皮质激素, 18-39) | 5mg |
| P9028-25mg | ACTH(18-39) human (人促肾上腺皮质激素, 18-39) | 25mg |
| P9032-1mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 1mg |
| P9032-5mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 5mg |
| P9032-25mg | ACTH(1-17) human (人促肾上腺皮质激素, 1-17) | 25mg |
| P9037-1mg | ACTH(1-10) human (人促肾上腺皮质激素, 1-10) | 1mg |
| P9037-5mg | ACTH(1-10) human (人促肾上腺皮质激素, 1-10) | 5mg |
| P9037-25mg | ACTH(1-10) human (人促肾上腺皮质激素, 1-10) | 25mg |
| P9041-1mg | ACTH(7- 38) human (人促肾上腺皮质激素, 7-38) | 1mg |
| P9041-5mg | ACTH(7- 38) human (人促肾上腺皮质激素, 7-38) | 5mg |
| P9041-25mg | ACTH(7- 38) human (人促肾上腺皮质激素, 7-38) | 25mg |

Version 2022.12.30